

## **MS PHOTO SATIN**

## 190 g/m<sup>2</sup>

Material Description	Superb photo inkjet paper. Instant dry micro-pore coated photo-base paper.			
	This rigid 190 g/m <sup>2</sup> photo paper gives photo realistic print-outs. Easy handling and lamination capabilities.			

- Qualifications Instant dry micro-pore coating Water resistant\* No lamination required\* Hot and cold laminate compatible Long lasting prints with UV pigment ink
- DetailsPhoto realistic full colours that are smear- and moisture-resistant with superior indoor fade re-<br/>sistance. Printed with Pigment UV ink more than 20 years.<br/>Lamination is recommended to secure long-lasting unchanged images quality.
- Applications In and outdoor posters Outdoor advertisements Presentations Signs Sales materials Stand building

Physical Properties	Quality		Photo base paper		
	Material		Micropore Inkjet treated pho	oto paper	
	Thickness		0.19mm	19mm	
	Weight		190 g/m <sup>2</sup>		
	Print side		Gloss or Satin finishing		
Compatibility	Hewlett Packard Canon			Eco Solvent Solvent	
	Epson			Latex	
	And more			UV-curable	
				UV-curable Led	
				Water	
				Oil	
	Dye-sublimation				
	Make your own practical test to be sure it reaches your quality standard. For all- and latest information see our Compatibility List.				
Printing guidelines	Max. temperature (material) should not exceed 80°C as overheating can impair the flatness of the media. Ink restric tions and heater settings have to be set for specific printer ink combinations to obtain the best results.				
Colour profiles	AT graphix develops high quality ICC colour profiles for the divers printing media's. We work with specialists that can do this service for almost every printer . rip combination.				
Storage conditions	1 year under normal conditions (10. 25°C at a relative humidity of 30. 75 %). Higher humidity and/or temperature can affect the product performance. Always store the media in a dark place.				
Environment	The media and final prints can be disposed of as paper waste. Material is suitable for recycling. Please consult local recycle resources. For treatment of ink or ink residue, please refer to your printer manual or supplier.				
	Data presented in this product information serve only as a guide-line for compatibility and use. AT graphix will assume no liability in connection with any use this information. Technical specifications are subjected to change without prior notice. AT graphix Vianen, The Netherlands. www.atgraphix.com				